


# Eye Drop Bottle Packaging Line

## Product Introduce

### Bottle Unscrambler



The turntable of the bottle unscrambler is made of polyethylene material (health material). Put the bottles into the plate, then the machine organizes the disorderly bottles. When they are out of the machine, they will be transported to conveyor belt in order and go to next working process. The applicable range of the machine is widely. Replacing the turntable can be suitable for many kinds of bottles. If the mouth of the bottle is not upward, it will not go to the next working process and be organized again.

### Parameter:

Power Supplier: 220V, 50HZ

Power: 1000W

Production Capacity: 40-70 bottles/Min

Bottle Diameter: 10-20mm

Bottle Height: 10-40mm



**Automatic filling and capping machine**



**Main characteristic**

The automatic liquid filling and capping machine can automatically finish the bottle filling, bottle capping. With the no bottle no filling feature.

The machine with scientific structure can be single used, and also can be used with production line. It is the ideal liquid filling production equipment, completely meet with GMP requirements.

**Feature**

1. Adopt human-computer interface, PLC controller, easy to operate
2. Use frequency converting control, easy to adjust the filling speed, automatic count
3. Automatic stop, no bottle no filling
4. Round turn table for positioning filling, stable and reliable
5. High precision CAM indexing gage control

**Technical parameters**

Productivity: 20-30 bottles per min

Filling volume: 5-10ml

Voltage: 220V/380V/50Hz/60Hz

Power: 2kw

Accuracy:  $\leq \pm 1\%$

Weight: 600kg

Dimension: 2000\*1270\*1700 mm

## Automatic labeling machine



### Main characteristic

It widely used in pharmaceuticals, foodstuffs, chemicals, light industries such as glass bottles, plastic bottle labeling, auto-complete sub-bottles, labeling, lot number hit, high accuracy, rapid continuous labeling, the machines used in Japan Mitsubishi Electric Original imported original, so that labeling more stable and the Company's products enjoy popular support from all walks of life, the machine from the vial to the large bottle completely free to adjust, no replacement parts, performance stable and reliable, this machine-wide adoption of SUS304 stainless steel production, the quality of up to 100 %. The use of stepper motor control, the import operation screen, Paste error precision, high efficiency. With failure and numerical alarm device (optional) and a printer can output frequency of the production-line Record. Achieve automatic monitoring production.

### Specifications:

Applicable specifications: Various round bottles

Capacity: 40-100 bottles/min

Power: 220V 50Hz/1kw

Label Size: L: 10-300mm W: 10-100mm

weight: 200kg

Dimensions: 2000×800×1400mm

Alarm: No ribbon, broken marked, no label

**Total Machine Line:**



